

Check out our tape measures available for imprinting starting on page 11!

B BRANDS INC.



11 Pc. Pass-Thru™ X6™ Black Oxide Adjustable Wrench and Spline Socket Set

(c) CRESCENT

Versatile fastening tool offers user multiple fastening options in a single tool design

Pass-thru reversible ratcheting system

Universal design fits 6 fastener types

Sockets are clearly marked for easy identification

Corrosion resistant black-phosphate finish

Packaged in a convenient storage tray



CPTAW8



8" R2 RapidRench Adjustable Ratcheting Dual Material Socket Wrench

(c) CRESCENT

7/8" Adjustable jaw opening

R2 RapidRench works on various fasteners and sizes

Jaw design extends into deep areas

Comfort grip for reduced stress on hand

Chrome finish for durability and corrosion resistance

World famous Crescent® brand



FR28SMP





14 Pc. 12 Point SAE Combination Wrench Set with Tool Roll

(c) CRESCENT

Chrome Vanadium Alloy Steel for long lasting durability

Surface Drive® technology

Heat treated for maximum strength

Sizes stamped on both sides for easy identification

Nickel Chrome plated for long lasting protection

Mirror polish finish



CCWS4











(c) CRESCENT



72-tooth Ratchet requires only a 5° swing

Large quick-release button for easy operation

Sockets feature Surface Drive® technology

Chrome Vanadium Steel

Nickel Chrome plated for long lasting protection

Mirror polish finish

CSWS2



(c) CRESCENT



No-slip hand grip for comfort and quick adjustment

Slide-back adjustment collar lets you set target torque quickly and easily

Reversible 45-Tooth round ratcheting head

Clockwise direction marking on shaft simplifies calibration

Accuracy of +/- 4%

English/Metric scales on hand grip and shaft are large and easy to read

CRTW38

7 Pc. Universal Quick Convert T-Handle **Dual Material Nutdriver Set**

Quickly convert from straight to T-handle, simply pull shaft, rotate handle, and push shaft back in

(c) CRESCENT



to lock

Corrosion resistant, polished chrome shafts

Hollow shaft works over long threaded rod

where normal nut drivers will not fit Color coded for easy identification

Dual Material cushion grip, holds up well against oil and grease, for comfortable non-slip grip

Includes seven combo nut drivers

CNDS7V



18 oz. Steel Indexing Claw Hammer with Cushion Grip Handle

(c) CRESCENT

Extra large smooth striking face provides solid contact when driving nails or persuading boards/materials

Offering 4 unique positions for accessing and prying nails and boards with increased leverage

Magnetic nail starter holds nails securely under the hammer head

New rubber TPR grip is designed for comfort



CINDEX18



8" Adjustable Ratcheting Flex Wrench

(c) CRESCENT

Allows you to turn nuts and bolts without taking the wrench off the fastener, making jobs faster and easier

Ratcheting on/off switch allows wrench to also be used as a traditional adjustable wrench

Unique handle design accommodates a wide variety of hand sizes and shapes and promotes proper use



ACFR8VS

3 Pc. Curved Jaw Locking Pliers with Wire Cutter

(c) CRESCENT

Patented angled tooth pattern

Nickel-plated finish resists rust & corrosion

Versatile curved jaw also features integral wire cutter

Maximum jaw opening per ASME specs



CLP3SETN











Unique tooth design for better grip – increases torque with less effort

"V" jaws allow for firmer grip on various shapes

Alloy steel construction with induction hardened teeth maximizes durability

Integrated non-marring pipe grip area in handle made of high-impact rubber

Exposed steel handle tips designed to prevent handle pull-off

Corrosion resistant black-oxide finish

RT400SGSET2







World famous Crescent® brand

Providing quality tools since 1907

Professional quality, Cr-V steel



CTK30SETN

70 Pc. 1/4" & 3/8" Drive 6 & 12 Point Standard SAE/Metric Mechanics Tool Set





CTK70MPN

Carefully selected assortment of Crescent® brand hand tools

Set contains 1/4" and 3/8" quick-release ratcheting drives, 32 SAE and metric sockets, 12 SAE and metric combination wrenches, plus 24 other tools. This is one of the most versatile tool selections ever assembled

All tools meet stringent new ANSI and ASME specifications, and come with a full satisfaction guarantee

(C) CRESCENT

84 Pc. 1/4" & 3/8" Drive 6 & 12 Point Standard & Deep SAE/Metric Mechanics Tool Set

(c) CRESCENT

72-tooth Ratchet requires only a 5° swing

Large quick-release button for easy operation

Sockets feature Surface Drive® technology to virtually eliminate fastener rounding

Chrome Vanadium Steel

Magnetic bit driver with dual material grip for increased leverage



CTK84CMP



(c) CRESCENT

72-tooth Ratchet requires only a 5° swing

Large quick-release button for easy operation

Sockets feature Surface Drive® technology to virtually eliminate fastener rounding

Chrome Vanadium Steel

Magnetic bit driver with dual material grip for increased leverage



CTK128MP2N

148 Pc. General Purpose Tool Set

(c) CRESCENT

Carefully selected assortment of Crescent® brand hand tools

Set contains all the tools needed for most applications, including 1/4", 3/8", and 1/2" quick-release ratcheting drives, with a wide selection of standard and deep sockets in the most common SAE and metric sizes

All tools in this set meet stringent new ANSI and ASME specifications and come with a full satisfaction guarantee



CTK148MPN







170 Piece Mechanics' Tool Set





CTK170CMP2

Carefully selected assortment of Crescent® brand hand tools

Set contains all the tools needed for most applications, including 1/4", 3/8", and 1/2" quick-release ratcheting drives, with a wide selection of standard and deep sockets in the most common SAE and metric sizes

All tools in this set meet stringent new ANSI and ASME specifications and come with a full satisfaction quarantee

1/2" Drive Micrometer Torque Wrench 30-250 ft/lbs.

GEARWRENCH



85066

Accurate in clockwise direction +/-3% from 20% to 100% of full scale

Meets ISO 6789 specifications

Thin profile, sealed tear-drop head design for access & durability

Pull adjustment collar for easy and quick torque setting changes

Knurled anodized aluminum handle for comfortable grip

10 Pc. 12 Point Stubby Ratcheting **Combination Metric Wrench Set**

呵 GEARWRENCH



Ratcheting box end needs as little as 5° to move Bright, full polish chrome finish

fasteners vs. 30° for standard wrenches

The original patented ratcheting wrench

Off-corner loading design on box end for better grip and reduced fastener rounding

Stubby length for tight access areas

9520D

GU GEARWRENCH

16 Pc. 12 Point Flex Head Ratcheting Combination Metric Wrench Set

GEARWRENCH

Flexible head

Knurled side beam for ratcheting direction indicator

72 teeth ratcheting box end needs as little as 5° to move fasteners versus 30° for standard box end wrenches

Off-corner loading design on box end for better grip and reduced fastener rounding





7 Pc. 12 Point Ratcheting Combination Wrench Set

GEARWRENCH

Ratcheting box end needs as little as 5° to move fasteners vs. 30° for standard wrenches

Bright, full polish chrome finish

The original patented ratcheting wrench

Off-corner loading design on box end for better grip and reduced fastener rounding



9317 SAE 9417 Metric

16 Pc. 12 Point Ratcheting Combination Metric Wrench Set

GEARWRENCH

Ratcheting box end needs as little as 5° to move fasteners vs. 30° for standard wrenches

Bright, full polish chrome finish

The original patented ratcheting wrench

Off-corner loading design on box end for better grip and reduced fastener rounding



9416







GEARWRENCH



Turns a fastener in as little as 6"

35 pc. set includes: reversible 1/4" x 5/16" double box micro driver; 10 standard and metric sockets; 1/4" dive socket adapter; 23 assorted bits

Storage case with belt clip included

85035





9700

Flexible head

Knurled side beam for ratcheting direction indicator

72 teeth ratcheting box end needs as little as 5° to move fasteners versus 30° for standard box end wrenches

Off-corner loading design on box end for better grip and reduced fastener rounding



Weller



BP650MP

Heats up to working temperature in under 30 seconds

Red LED indicates when power is on

Protective safety cap turns off power when placed on tool

Up to 120 solder joints with new batteries

Perfect for field service repair on small parts and components

Folding Pocket Knife

Wiss

Titanium coated stainless steel blade

Titanium coating is 3X harder than steel for longer life

Blade features piercing tip with serrated and straight cutting edges for maximum cutting abilities

Full metal frame for increase durability

Spring assisted opening

Dual thumb studs and thumb hole for quick, easy opening



WKFP1



6' Mini Keychain Tape

Lufkin

Extra wide end hook holds better and makes marking easier

ABS case with rubber overmold in Hi-Viz orange to help identify tape on crowded jobsite

1/2" wide tape with 3+ feet of standout

Must order in multiples of 25

Individually poly-bagged



Lufkin® 1" x 25' Power Tape (Camo)

Lufkin^{*}

English Scale -1" blade graduated consecutive inches to 16ths. Instantaneous foot readings with stud markings every 16"

Case fits comfortably in hand with its round shape and flat base

1" wide blade has a 7' standout

Easy-to-read yellow clad blade (not replaceable)

Comes attached to retail card



CMOH625



IMPRINTED TAPE MEASURES





The following Lufkin tape measures are available for imprinting with your company logo or message included on a high quality decal.

Imprinted Tape Measures General Ordering Information

Normal Production Time: Approximately 15 days after approval of artwork

Less Than Minimum: Quoted on request

Split Destination Shipments: Yes

Freight: F.O.B. Wisconsin

Packaging: Standard packaging is bulk, special packaging quoted on request Artwork: Camera-ready digital art as

Illustrator files required. A \$25.00 art charge will apply for each change made to artwork

by our Art Department

Proofs: Email proofs, no charge

Cancellations: On orders for customized product, customers are responsible for all work completed up to the time of cancellation and will be charged accordingly

Claims: Notification must be made within 24 hours from receipt

Tax: Sales tax will be charged where applicable

Truck Shipment: Recipient phone number

required. Sidewalk delivery only

Terms and Conditions: Net 30 day terms based on approval of credit. Prices and freight charges are subject to change without notice.



W906A

Decal, 1 ^{5/8}" archtop (1 ^{3/8}" diameter imprint)



Lufkin^{*}

1/4" blade graduated 1/4th scale (1 to 240) – front side of blade

1/8" scale (1-480) – back side of the blade

Chrome plated metal case

Gift boxed in silver and black box with red vinyl insert

Imprinted Price (R)*

50	100	250	500	1000+
\$15.35	\$15.00	\$14.60	\$14.20	\$13.75



W906P

Decal, 1 $^{5/8}$ " archtop (1 $^{3/8}$ " diameter imprint)

Lufkin® 1/4" x 6' Diameter Tape

Lufkin

English Scale -1/4" blade graduated consecutive inches to 1/16ths, first 12" to 1/32nds - front side of blade

Diameter inches to 1/64ths – back side of the blade

Blank space before zero

Chrome plated metal case

Gift boxed in silver and black box with red vinyl insert

Imprinted Price (R)*

50	100	250	500	1000+
\$16.15	\$15.80	\$15.40	\$15.00	\$14.50

^{*} Sell price includes a 4-color process decal and application.

^{*} Sell price includes a box with each tape measure except models #CMOH625 & L925. Model #CS8506 comes in a poly bag.



Lufkin® 1/4" x 6' Diameter Tape (Diameter to 1/100")

Lufkin

English Scale – 1/4" blade graduated consecutive inches to 1/16ths, first 12" to 1/32nds – front side of blade

Diameter inches to 1/100ths – back side of the blade

Blank space before zero

Chrome plated metal case

Gift boxed in silver and black box with red vinyl insert

Imprinted Price (R)*

50	100	250	500	1000+
\$16.15	\$15.80	\$15.40	\$15.00	\$14.50

Lufkin® 1" x 25' Chrome Legacy Tape

Lufkin

English Scale -1" blade graduated consecutive inches to 16ths. Instantaneous foot readings with stud markings every 16"

Throwback-style square label mirror-chrome case

Hi-Viz® orange ribbed accent stripe for better grip

Nylon coated blade for exceptional durability

Matte blade finish for reduced glare in outdoor applications

Comes attached to retail card

Imprinted Price (R)*

50	100	250	500	1000+
\$14.35	\$14.05	\$13.70	\$13.35	\$12.90

Lufkin® 1" x 25' Power Tape (Chrome)

<u>Lufkin</u>

English Scale -1" blade graduated consecutive inches to 16ths. Instantaneous foot readings with stud markings every 16"

Lightweight, high strength, contour grip case fits comfortably in hand

Removeable belt clip

Fits easily in most tape holsters

Gift boxed in silver and black box with red vinyl insert

Imprinted Price (R)*

50	100	250	500	1000+
\$14.45	\$14.15	\$13.75	\$13.35	\$12.90

^{*} Sell price includes a 4-color process decal and application.



W906PD

Decal, 1 5/8" archtop (1 3/8" diameter imprint)





Decal, 1 $^{5/8}\mathrm{"}\times2\mathrm{"}$ (1 $^{1/4}\mathrm{"}\times1$ $^{5/8}\mathrm{"}$ diameter imprint)





CL525

Decal, 2 3/8" round (2 1/8" diameter imprint)



^{*} Sell price includes a box with each tape measure except models #CMOH625 & L925. Model #CS8506 comes in a poly bag.



(Hi-Viz® Orange)

Lufkin® 1" x 25' Power Tape



ASL625

Decal, 1 9/16" round (1 5/16" diameter imprint)



English Scale – 1" blade graduated consecutive inches to 16ths. Instantaneous foot readings with stud markings every 16"

Wide base helps keep tape standing upright

Easy-to-read yellow clad blade, not replaceable

Lufkin[•]

Gift boxed in silver and black box with red vinyl insert

Imprinted Price (R)*

50	100	250	500	1000+
\$14.40	\$14.10	\$13.70	\$13.35	\$12.95



Lufkin^{*}

Lufkin® 1/4" x 6' Executive® Diameter Pocket Tape (Diameter to 1/100")

Consecutive inches to 1/16ths, first 12" to 1/32nds on one side; diameter inches to 1/100ths other side

Zero falls in the same place on each side of the blade

Conversion from diameter to circumference, simply turn the blade

Spring action returns blade to case

Boxed in white box

Imprinted Price (R)*

50	100	250	500	1000+
\$24.15	\$23.75	23.25	\$22.70	\$22.10

W606PD

Decal, 1 1/4" round (1" diameter imprint)



ASW616PD

Decal, 1 1/4" round (1" diameter imprint) Lufkin® 1/4" x 6' Diameter Tape

Lufkin

English Scale – 1/4" blade graduated consecutive inches to 1/16ths, first 12" to 1/32nds - front side of blade

Diameter inches to 1/64ths – back side of the blade

Blank space before zero

Black, lightweight plastic case

Comes in box

Imprinted Price (R)*

	50	100	250	500	1000+
ĺ	\$10.30	\$10.05	\$9.70	\$9.40	\$9.05

^{*} Sell price includes a 4-color process decal and application.

^{*} Sell price includes a box with each tape measure except models #CMOH625 & L925. Model #CS8506 comes in a poly baa.



The Apex Tool Group™ consists of the most recognized and trusted hand tool manufacturers in the world. Give your customers the quality and value they want from the names they trust like Crescent®, GearWrench® and Lufkin®.

A high quality tool or tool set is the perfect gift for the hard working professional or do-it-yourselfer and would make a great addition to any workplace safety program.





Presented By

Corporate Sales Department c/o Top Brands, Inc. (920) 236-2800 (800) 431-2127 sales@top-brands.com

SAGE 23680

asi 91455

PPAI 113144